

# TELESIN

## Versatile Wrap 弹力小Q

User Manual / 用户手册

## Product Introduction

Versatile Wrap is a multi-purpose tool for installing action cameras in various scenarios. It uses eco-friendly high-elastic material and a two-hole design to allow it to be fixed to objects with different shapes and sizes, such as railings, fitness equipment, and stadium fences. The 360° damping rotation axis and pitch joint make it easy to adjust the camera position.



**Material:** Silicone+Aluminum Alloy+Stainless Steel+PC

**Applicable Sizes:**

**Round tube:** Diameter range of 22mm~38mm


**Special Shaped Tube:** Width range of 45~60mm

**Selectable Angles:** Horizontal: 0~360°, Pitch: 0~180°

**Applicable Scenarios:** Fixed camera shooting, light sports scene shooting, and light road riding shooting are also allowed.

## Installation

Attach the strap tightly to the object's surface, hook the end with your fingers, and stretch outward with a slight gap.



2. Adjust the length of the strap according to the diameter/width of the attachment surface.



3. Select whether to use the ① large hole (left) or the ② small hole (right) to fasten the fixed clip, based on the desired tightness.

Large Hole



Small Hole



If using the small hole to fasten, you can wrap the excess strap ③ around the fixed clip or ④ around the head for added stability.



## Camera Position Adjustment

Install the camera and adjust the horizon and pitch angles.



## Removing the Straps

Pull the straps from underneath the buckles to remove them.



## Caution

1. Please do not use sharp objects to touch the surface of the strap to avoid puncturing the silicone and causing the strap to break.
2. Please do not allow the strap to be in contact with oily or chemical substances to prevent the silicone from corroding.
3. This product is not edible.
4. Please keep away from children and pets during use and storage to avoid accidental ingestion and injury.
5. When children play with the strap, parents must supervise and accompany them to avoid any improper use that could result in injury.
6. This product is only suitable for mild sports and fixed shooting, and is not suitable for extreme and rigorous activities such as mountain biking or mountain motorcycle riding.

## Disclaimer

Please read this statement carefully and by using this product you will be deemed to have acknowledged and accepted it in full. Please check the product carefully before each use and do not use it if damaged or deformed. By using this product, you acknowledge and agree that you are fully responsible for your actions and the possible consequences of using this product. You undertake to use this product only for legitimate and lawful purposes. You understand and agree that ("Telesin") shall not be liable for any misuse, adverse effects, damages, injuries, penalties or other legal consequences arising directly or indirectly from the use of this product. The user should follow the precautions including but not limited to those mentioned herein. To the extent Telesin reserves the right to interpret and modify this commitment within the limits of national laws and regulations.

## 产品介绍

弹力小 Q (多功能弹力绑带) 是一款用于运动相机多场景的安装工具，采用环保高弹材料及两孔设计，可使其固定在形状尺寸不一的栏杆，健身器材，体育场围网等物体上，360°阻尼旋转轴及俯仰转接头使得机位调整变得容易。



**材质:** 硅胶 + 铝合金 + 不锈钢 + PC

**适用尺寸:**

圆形管状物直径范围: 22mm~38mm

异形管状物宽度范围: 45mm~60mm


**选择角度:** 水平 0~360°, 俯仰 0~180°

**适用场景:**

固定拍摄及轻度运动拍摄，可用于公路骑行等。

## 安装

1. 将绑带顶部紧贴物体表面，用手指勾住绑带末端，与附着物保持一定间隙向外拉伸



2. 根据附着物的直径 / 宽度大小，调整拉伸的长度





3. 根据想要的松紧程度，选择用 ❶ 大孔（图左）或 ❷ 小孔（图右）扣入固定扣

大孔



小孔



4. 若用小孔固定，可将多余的绑带 ❸ 向前 / ❹ 向后绑在固定扣或头部



## 机位调整

安装相机，调整水平及俯仰角度



## 拆卸绑带

从固定口下方勾住绑带，向外拉伸拆离固定口



## 警告

1. 请勿用尖锐物体接触绑带表面，以免刺破硅胶，导致绑带破裂。
2. 请勿使得绑带接触油脂类化学物品，以免腐蚀硅胶。
3. 请勿食用。
4. 请远离儿童及宠物使用及储藏，以免误食造成伤害。
5. 儿童把玩绑带时，请家长务必随同照看，避免儿童非正常使用造成伤害。
6. 本产品仅适合轻度运动及固定拍摄使用，不适用于山地自行车，山地摩托车等剧烈且极限运动的场景下。

## 免责声明

请仔细阅读本声明，一旦使用本产品，即视为对本声明的全部认可和接受。每次使用前，请仔细检查产品，若出现破损、变形，请勿使用。使用本产品，就意味着您认可并同意，您将对使用本产品的行为和可能产生的后果负全部责任。您承诺仅会出于正当合法的目的使用本产品。您理解并同意，对于直接或间接因使用本产品而造成的滥用、不利影响、损害、伤害、惩罚或者其他法律后果，泰迅数码有限公司（以下简称“Telesin”）将不承担任何责任。用户应遵循包括但不限于本文提及的使用注意事项。在国家法律法规范围内，本承诺解释权、修改权归 Telesin 所有。泰迅保修期从您收到货物后的当日起计算，享有 6 个月保修服务。

[www.telesin.cn](http://www.telesin.cn)